


FLAT MOON 480 DOWN LED GI

Like an enchanting full moon, Flat moon shines its uniform and functional light into any room with an outstanding lighting performance. When suspended, Flat moon acts as a downlighter or as both an uplighter and downlighter. As a mounted fitting, it can be placed directly against the ceiling or some space can be left between the ceiling and the lamp. This way you can achieve an additional indirect lighting effect. Available in three sizes. Flat moon wall and Flat moon square are also waiting to be discovered.

Art. Nr. 12850009

SPECIFICATIONS


Lamp	1x LED 32.4W
Gear / Transfo	LED gear incl.
Weight	4kg
Min. Distance	0.1 m
Power supply	230V
IP	IP20
Glow Wire Test	650°
Source lifetime	50000hrs
CRI	80
Lumen	2936 Lm
Efficacy	82 Lm/W
UGR	23
Remark	! suspension kit optional ! cover plate optional



This label is available in other languages:
<http://supermodular.com/assets/TYPE2.pdf>

	WARM WHITE 3000K / CRI 80+
black struc	12850032
white struc	12850009






FLAT MOON 480 UP/DOWN TL5 GI

Like an enchanting full moon, Flat moon shines its uniform and functional light into any room with an outstanding lighting performance. When suspended, Flat moon acts as a downlighter or as both an uplighter and downlighter. As a mounted fitting, it can be placed directly against the ceiling or some space can be left between the ceiling and the lamp. This way you can achieve an additional indirect lighting effect. Available in three sizes. Flat moon wall and Flat moon square are also waiting to be discovered.

Art. Nr. 12680109

SPECIFICATIONS

Lamp	4x TC-L 2G11 18W
Gear / Transfo	gear incl., electronic
Weight	3.4kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	650°
CRI	82
Lumen	3506 Lm
Efficacy	44 Lm/W
UGR	9
Remark	! suspension kit optional



This label is available in other languages:
<http://supermodular.com/assets/TYPE4.pdf>


black struc

12680132

white struc

12680109






FLAT MOON 680 DOWN LED DALI/PUSHDIM GI

Like an enchanting full moon, Flat moon shines its uniform and functional light into any room with an outstanding lighting performance. When suspended, Flat moon acts as a downlighter or as both an uplighter and downlighter. As a mounted fitting, it can be placed directly against the ceiling or some space can be left between the ceiling and the lamp. This way you can achieve an additional indirect lighting effect. Available in three sizes. Flat moon wall and Flat moon square are also waiting to be discovered.

Art. Nr. 12856209


SPECIFICATIONS


Lamp	1x LED 64.8W
Gear / Transfo	LED gear incl.
Weight	7.6kg
Min. Distance	0.1 m
Power supply	230V
IP	IP20
Glow Wire Test	650°
Source lifetime	50000hrs
CRI	80
Lumen	6160 Lm
Efficacy	88 Lm/W
UGR	22
Remark	! suspension kit optional ! cover plate optional



This label is available in other languages:
<http://supermodular.com/assets/TYPE2.pdf>

	WARM WHITE 3000K / CRI 80+
black struc	12856232
white struc	12856209






FLAT MOON 680 UP/DOWN TL5 1-10V GI

Like an enchanting full moon, Flat moon shines its uniform and functional light into any room with an outstanding lighting performance. When suspended, Flat moon acts as a downlighter or as both an uplighter and downlighter. As a mounted fitting, it can be placed directly against the ceiling or some space can be left between the ceiling and the lamp. This way you can achieve an additional indirect lighting effect. Available in three sizes. Flat moon wall and Flat moon square are also waiting to be discovered.

Art. Nr. 12685309

SPECIFICATIONS

Lamp	4x T16 G5 24W 2x 2G11 (TC-L) 24W
Gear / Transfo	gear incl., electronic
Weight	6.4kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	650°
CRI	85
Lumen	9245 Lm
Efficacy	62 Lm/W
UGR	16
Remark	! suspension kit optional




This label is available in other languages:
<http://supermodular.com/assets/TYPE4.pdf>


black struc

12685332

white struc

12685309





FLAT MOON 980 DOWN LED DALI/PUSHDIM GI

Like an enchanting full moon, Flat moon shines its uniform and functional light into any room with an outstanding lighting performance. When suspended, Flat moon acts as a downlighter or as both an uplighter and downlighter. As a mounted fitting, it can be placed directly against the ceiling or some space can be left between the ceiling and the lamp. This way you can achieve an additional indirect lighting effect. Available in three sizes. Flat moon wall and Flat moon square are also waiting to be discovered.


Art. Nr. 12856409


SPECIFICATIONS

Lamp	1x LED 129.6W
Gear / Transfo	LED gear incl.
Weight	13.3kg
Min. Distance	0.1 m
Power supply	230V
IP	IP20
Glow Wire Test	650°
Source lifetime	50000hrs
CRI	80
Lumen	12392 Lm
Efficacy	89 Lm/W
UGR	23
Remark	! suspension kit optional ! cover plate optional

This label is available in other languages:
<http://supermodular.com/assets/TYPE 2.pdf>

	WARM WHITE 3000K / CRI 80+
black struc	12856432
white struc	12856409






FLAT MOON 980 UP/DOWN TL5 GI

Like an enchanting full moon, Flat moon shines its uniform and functional light into any room with an outstanding lighting performance. When suspended, Flat moon acts as a downlighter or as both an uplighter and downlighter. As a mounted fitting, it can be placed directly against the ceiling or some space can be left between the ceiling and the lamp. This way you can achieve an additional indirect lighting effect. Available in three sizes. Flat moon wall and Flat moon square are also waiting to be discovered.

Art. Nr. 12680509

SPECIFICATIONS

Lamp	4x T16 G5 39W 4x G5 (T16) 24W
Gear / Transfo	gear incl., electronic
Weight	12.5kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	650°
CRI	85
Lumen	16920 Lm
Efficacy	65 Lm/W
UGR	15
Remark	! suspension kit optional



This label is available in other languages:
<http://supermodular.com/assets/TYPE4.pdf>

black struc	12680532
white struc	12680509

