










**SMART**


guide

## Symbols Legend

	eco label
	weight in kg
	minimum distance from objects
	input voltage
	mounting in/on flammable surfaces
	interior use
	ceiling mounted
	fixture class 1
960°C	glow wire test
	conbox
	gypkit
	colour rendering index >90
GI	gear included
GE	gear excluded
RG	remote gear

© **Modular Lighting Instruments**  
all rights reserved

Modular reserves the right to alter material, dimensions and characteristics without prior notice.

Graphics by   
rotorgroup.be

For information on the full Modular range, don't hesitate to contact us.

Modular Lighting Instruments  
Armoedestraat 71  
8800 Roeselare  
Tel. +32 51 26 56 56 – Fax +32 51 22 80 04  
www.supermodular.com

**3**  
**SMART**  
**SPOTS**



Smart Cake



Smart Lotis



Smart Kup


**4**  
**SMART**  
**ACCESSORIES**




Smart mask 1x



Smart mask 2x





Smart surface box 1x



Smart surface box 2x

**UP TO**  
**50**  
**SMART**  
**COMBINATIONS**





---

# LET'S GET SMART

EASY TO INSTALL. EASY TO COMBINE. LOW RECESSED HEIGHT.


---

## INDEX

SMART INSPIRATION	P 6
SMART CAKE	P 14
SMART LOTIS	P 18
SMART KUP	P 22
SMART MASK	P 26
SMART SURFACE BOX	P 27
NOMAD FOR SMART RINGS	P 28
MINI-MULTIPLE FOR SMART RINGS	P 32
MINI-MULTIPLE TRIMLESS FOR SMART RINGS	P 34
SMART FRONTRINGS	P 38
PROFILES WITH SMART MODULES	P 40
GOODIES	P 42



starring: Smart Lotis with Smart surface box  
architect: CAAN architecten  
project: private residence (BE)



starring: Smart Lotis  
architect: Memo  
project: private residence (NL)



## Smart inspiration

---



starring: Smart Kup  
architect: A.R.T. Studio  
project: Les Barons, Knokke (BE)





starring: Smart Kup with Smart mask  
architect / interior architect: Studio N, Niels Maier  
project: private residence, Meerssen (NL)

## Smart inspiration

---



starring: Smart Koup  
architect: CAAN architecten  
project: private residence (BE)



starring: Smart Cake with Smart mask  
architect: CAAN architecten  
project: private residence (BE)

## Smart inspiration

---




starring: Smart Kup  
architect: H2A  
project: Elia, Brussel (BE)



starring: Smart Kup  
architect: H2A  
project: Ella, Brussel (BE)

# Smart Cake



LED

## Smart Cake LED <900lm RG

1x LED Array incl. 10.5W  
LED gear incl.  
aperture  $\varnothing$  70 h 60

! can be combined with Smart mask




NOT DIMMABLE	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000° / CRI 80+
	MEDIUM 25°	MEDIUM 25°
black struc	12410032	12410132
white struc	12410009	12410109

1-10V/PUSHDIM	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000° / CRI 80+
	MEDIUM 25°	MEDIUM 25°
black struc	12410232	12410332
white struc	12410209	12410309

### ACCESSORIES

10215730 10889830 12290130



LED


## Smart Cake LED <900lm GE

1x LED Array incl. 10.5W  
LED gear not incl.  
aperture  $\varnothing$  70 h 60

! for LED gear see goodies  
! can be combined with Smart mask  
! can be combined with Smart surface box



	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000° / CRI 80+
	MEDIUM 25°	MEDIUM 25°
black struc	12411032	12411132
white struc	12411009	12411109



## Smart Cake HIPAR-C16

1x HIPAR-C 16 Gx10 max. 35W  
gear not incl.  
aperture  $\varnothing$  70 h 120

! for gear see goodies  
! can be combined with Smart mask




black struc	12430032
white struc	12430009

### ACCESSORIES

10889830 12290130







### Smart Cake MR16

1x QR-CBC 51 Gx5.3 max. 50W  
transfo not incl.  
aperture  $\varnothing$  70 h 90

! for transfo see goodies  
! can be combined with Smart mask



black struc	12420032
white struc	12420009



### Smart Cake ES50



1x QPAR 16 Gu10 max. 50W  
transfo/gear not required  
aperture  $\varnothing$  70 h 110

! can be combined with Smart mask  
! can be combined with Smart surface box



black struc	12420132
white struc	12420109

### ACCESSORIES (for more info see page 26/27)



### Smart surface box GI for Smart LED GE



NOT DIMMABLE	1x <sup>(1)</sup>	2Lx <sup>(2)</sup>
black struc (black struc interior)	12510056	12512056
black struc (white struc interior)	12510047	12512047
white struc (black struc interior)	12510058	12512058
white struc (white struc interior)	12510009	12512009

1-10V/PUSHDIM	1x <sup>(1)</sup>	2Lx <sup>(2)</sup>
black struc (black struc interior)	12510156	12512156
black struc (white struc interior)	12510147	12512147
white struc (black struc interior)	12510158	12512158
white struc (white struc interior)	12510109	12512109


### Smart surface box for Smart ES50



! only to be used with 'retrofit' LED bulb


	1x <sup>(1)</sup>	2Lx <sup>(2)</sup>
black struc (black struc interior)	12511056	12513056
black struc (white struc interior)	12511047	12513047
white struc (black struc interior)	12511058	12513058
white struc (white struc interior)	12511009	12513009

### Smart mask 1x



black struc	12500032
white struc	12500009

### Smart mask 2x



black struc	12500132
white struc	12500109

### ACCESSORIES

10889830 12290130

# Smart Cake

---



Smart Cake white structure



Smart Cake white structure with Smart surface box black structure - white structure



Smart Cake white structure with Smart mask white structure

# Smart Cake




Smart Cake white structure with Smart surface box white structure - black structure



Smart Cake white structure with Smart mask black structure

# Smart Lotis



## Smart Lotis LED <900lm RG

1x LED Array incl. 10.5W  
LED gear incl.  
aperture  $\varnothing$  70 h 60

! can be combined with Smart mask




NOT DIMMABLE	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
	MEDIUM 25°	MEDIUM 25°
black struc	12440032	12440132
white struc	12440009	12440109

1-10V/PUSHDIM	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
	MEDIUM 25°	MEDIUM 25°
black struc	12440232	12440332
white struc	12440209	12440309

### ACCESSORIES

10215730 10889830 12290130




## Smart Lotis LED <900lm GE

1x LED Array incl. 10.5W  
LED gear not incl.  
aperture  $\varnothing$  70 h 60

! for LED gear see goodies  
! can be combined with Smart mask  
! can be combined with Smart surface box



	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
	MEDIUM 25°	MEDIUM 25°
black struc	12441032	12441132
white struc	12441009	12441109



## Smart Lotis HIPAR-C16

1x HIPAR-C 16 Gx10 max. 35W  
gear not incl.  
aperture  $\varnothing$  70 h 120


! for gear see goodies  
! can be combined with Smart mask



black struc	12460032
white struc	12460009

### ACCESSORIES


10889830 12290130




### Smart Lotis MR16

1x QR-CBC 51 Gu5.3 max. 50W  
transfo not incl.  
aperture  $\varnothing$  70 h 90

! for transfo see goodies  
! can be combined with Smart mask



black struc	12450032
white struc	12450009



### Smart Lotis ES50



1x QPAR 16 Gu10 max. 50W  
transfo/gear not required  
aperture  $\varnothing$  70 h 110

! can be combined with Smart mask  
! can be combined with Smart surface box



black struc	12450132
white struc	12450109

## ACCESSORIES (for more info see page 26/27)



### Smart surface box GI for Smart LED GE



NOT DIMMABLE	1x <sup>(1)</sup>	2Lx <sup>(2)</sup>
<b>black struc</b> (black struc interior)	12510056	12512056
<b>black struc</b> (white struc interior)	12510047	12512047
<b>white struc</b> (black struc interior)	12510058	12512058
<b>white struc</b> (white struc interior)	12510009	12512009

1-10V/PUSHDIM	1x <sup>(1)</sup>	2Lx <sup>(2)</sup>
<b>black struc</b> (black struc interior)	12510156	12512156
<b>black struc</b> (white struc interior)	12510147	12512147
<b>white struc</b> (black struc interior)	12510158	12512158
<b>white struc</b> (white struc interior)	12510109	12512109


### Smart surface box for Smart ES50



! only to be used with 'retrofit' LED bulb


	1x <sup>(1)</sup>	2Lx <sup>(2)</sup>
<b>black struc</b> (black struc interior)	12511056	12513056
<b>black struc</b> (white struc interior)	12511047	12513047
<b>white struc</b> (black struc interior)	12511058	12513058
<b>white struc</b> (white struc interior)	12511009	12513009

### Smart mask 1x



black struc	12500032
white struc	12500009

### Smart mask 2x



black struc	12500132
white struc	12500109

## ACCESSORIES

10889830 12290130

# Smart Lotis

---



Smart Lotis white structure



Smart Lotis white structure with Smart mask black structure



Smart Lotis white structure with Smart mask white structure






Smart Lotis white structure with Smart surface box black structure - white structure



Smart Lotis white structure with Smart surface box white structure - white structure

# Smart Kup



LED

## Smart Kup LED <900lm RG

1x LED Array incl. 10.5W  
LED gear incl.  
aperture  $\varnothing$  70 h 60

! can be combined with Smart mask


eco 0.36 1.1.1.1 1.1.1.1 1.1.1.1 1.1.1.1 960°C

NOT DIMMABLE	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
	MEDIUM 25°	MEDIUM 25°
black struc	12470032	12470132
white struc	12470009	12470109

1-10V/PUSHDIM	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
	MEDIUM 25°	MEDIUM 25°
black struc	12470232	12470332
white struc	12470209	12470309

### ACCESSORIES

10215730 10889830 12290130



LED


## Smart Kup LED <900lm GE

1x LED Array incl. 10.5W  
LED gear not incl.  
aperture  $\varnothing$  70 h 60

! for LED gear see goodies  
! can be combined with Smart mask  
! can be combined with Smart surface box

eco 0.36 1.1.1.1 1.1.1.1 1.1.1.1 1.1.1.1 960°C

	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
	MEDIUM 25°	MEDIUM 25°
black struc	12471032	12471132
white struc	12471009	12471109



## Smart Kup HIPAR-C16

1x HIPAR-C 16 Gx10 max. 35W  
gear not incl.  
aperture  $\varnothing$  70 h 120


! for gear see goodies  
! can be combined with Smart mask

eco 0.25 1.1.1.1 1.1.1.1 1.1.1.1 1.1.1.1 960°C

black struc	12490032
white struc	12490009

### ACCESSORIES


10889830 12290130




### Smart Kup MR16

1x QR-CBC 51 Gx5.3 max. 50W  
transfo not incl.  
aperture  $\varnothing$  70 h 90

! for transfo see goodies  
! can be combined with Smart mask



black struc	12480032
white struc	12480009



### Smart Kup ES50



1x QPAR 16 Gu10 max. 50W  
transfo/gear not required  
aperture  $\varnothing$  70 h 110

! can be combined with Smart mask  
! can be combined with Smart surface box



black struc	12480132
white struc	12480109

## ACCESSORIES (for more info see page 26/27)



### Smart surface box GI for Smart LED GE



NOT DIMMABLE	1x <sup>(1)</sup>	2Lx <sup>(2)</sup>
<b>black struc</b> (black struc interior)	12510056	12512056
<b>black struc</b> (white struc interior)	12510047	12512047
<b>white struc</b> (black struc interior)	12510058	12512058
<b>white struc</b> (white struc interior)	12510009	12512009

1-10V/PUSHDIM	1x <sup>(1)</sup>	2Lx <sup>(2)</sup>
<b>black struc</b> (black struc interior)	12510156	12512156
<b>black struc</b> (white struc interior)	12510147	12512147
<b>white struc</b> (black struc interior)	12510158	12512158
<b>white struc</b> (white struc interior)	12510109	12512109


### Smart surface box for Smart ES50



! only to be used with 'retrofit' LED bulb


	1x <sup>(1)</sup>	2Lx <sup>(2)</sup>
<b>black struc</b> (black struc interior)	12511056	12513056
<b>black struc</b> (white struc interior)	12511047	12513047
<b>white struc</b> (black struc interior)	12511058	12513058
<b>white struc</b> (white struc interior)	12511009	12513009

### Smart mask 1x



black struc	12500032
white struc	12500009

### Smart mask 2x



black struc	12500132
white struc	12500109

## ACCESSORIES

10889830 12290130

## Smart Kup

---



Smart Kup white structure with Smart mask black structure



Smart Kup white structure with Smart mask white structure



Smart Kup white structure with Smart surface box white structure - white structure



Smart Kup black structure


# Smart mask

HOW TO ORDER

## Step 1: Choose your Smart spot



## Step 2: Combine it with a Smart mask



Result



or

or

or







## HOW TO ORDER

### step 1: Choose your Smart spot



### step 2: Combine it with a Smart surface box



Result



or




or



or



# Nomad for Smart rings




## Nomad for Smart rings 2x LED <900lm GE

2x LED Array incl. 10.5W  
LED gear not incl.  
adjustability gimble 45°

! for LED gear see goodies  
! has to be combined with Smart flat frontring, Smart Cake frontring, Smart Lotis frontring or Smart Kup frontring

eco 0.90 1.40 500mA 960°C

	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
alu	12540005	12540105
white struc	12540009	12540109




## Nomad for Smart rings 4x LED <900lm GE

4x LED Array incl. 10.5W  
LED gear not incl.  
adjustability gimble 45°

! for LED gear see goodies  
! has to be combined with Smart flat frontring, Smart Cake frontring, Smart Lotis frontring or Smart Kup frontring

eco 1.40 1.40 500mA 960°C

	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
alu	12542005	12542105
white struc	12542009	12542109



## Nomad for Smart rings 2x LED <900lm 1x IGI



2x LED Array incl. 10.5W  
LED gear incl.  
adjustability gimble 45°

! for LED gear see goodies  
! has to be combined with Smart flat frontring, Smart Cake frontring, Smart Lotis frontring or Smart Kup frontring

eco 1.60 1.40 500mA 960°C

	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
alu	12541005	12541105
white struc	12541009	12541109

ACCESSORIES (for more info see page 38)





**Smart flat frontring**

	MEDIUM 25°	FLOOD 40°
white struc	12550009	12551009
black	12550002	12551002

**Smart Cake frontring**

	MEDIUM 25°	FLOOD 50°
white struc	12550109	12551109
black	12550102	12551102



**Smart Lotis frontring**

	MEDIUM 25°	FLOOD 50°
white struc	12550209	12551209
black	12550202	12551202

**Smart Kup frontring**


	MEDIUM 25°	FLOOD 50°
white struc	12550309	12551309
black	12550302	12551302

## Nomad for Smart rings

---



Nomad for Smart rings white structure with Smart Cake frontrings white structure





Nomad for Smart rings white structure with Smart Cake frontrings white structure

**Nomad for Smart rings**



Nomad for Smart rings white structure with Smart Cake frontrings white structure

# Mini-multiple for Smart rings



## Mini-multiple for Smart rings


1x LED <900lm GE

1x LED Array incl. 10.5W  
LED gear not incl.  
adjustability v -35°/+35°  
aperture I 110 w 110 h 130

! has to be combined with Smart flat frontring, Smart Cake frontring, Smart Lotis frontring or Smart Kup frontring  
! for gearkit see accessories

eco 0.89 1.14 500mA 960°c

	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
alu-black	12520005	12520105
complete white struc	12520009	12520109
white struc - black	12520029	12520129



## Mini-multiple for Smart rings


2Lx LED <900lm GE

2x LED Array incl. 10.5W  
LED gear not incl.  
adjustability v -35°/+35°  
aperture I 210 w 110 h 130

! has to be combined with Smart flat frontring, Smart Cake frontring, Smart Lotis frontring or Smart Kup frontring  
! for gearkit see accessories

eco 1.14 1.14 500mA 960°c

	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
alu-black	12521005	12521105
complete white struc	12521009	12521109
white struc - black	12521029	12521129



## Mini-multiple for Smart rings

3Lx LED <900lm GE

3x LED Array incl. 10.5W  
LED gear not incl.  
adjustability v -35°/+35°  
aperture I 315 w 110 h 130

! has to be combined with Smart flat frontring, Smart Cake frontring, Smart Lotis frontring or Smart Kup frontring  
! for gearkit see accessories

eco 1.59 1.14 500mA 960°c

	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
alu-black	12522005	12522105
complete white struc	12522009	12522109
white struc - black	12522029	12522129

### ACCESSORIES

10400130 10420130

12519930 gearkit 1x Smart LED 500mA  
12519830 gearkit 1x/2x Smart LED 500mA 1-10V/Pushdim  
12519730 gearkit 2x Smart LED 500mA  
12519630 gearkit 3x/4x Smart LED 500mA 1-10V/Pushdim

### ACCESSORIES


10400230 10420230

### ACCESSORIES


10400330 10420330



# Mini-multiple for Smart rings



Mini-multiple for Smart rings with Smart flat frontings



## Mini-multiple for Smart rings

4SQx LED <900lm GE



4x LED Array incl. 10.5W  
LED gear not incl.  
adjustability v -35°/+35°  
aperture l 210 w 210 h 160

! has to be combined with Smart flat fronting, Smart Cake fronting, Smart Lotus fronting or Smart Kup fronting  
! for gearkit see accessories



	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
alu-black	12523005	12523105
complete white struc	12523009	12523109
white struc - black	12523029	12523129

## ACCESSORIES (for more info see page 39)





### Smart flat fronting

	MEDIUM 25°	FLOOD 40°
white struc	12550009	12551009
black	12550002	12551002

### Smart Cake fronting

	MEDIUM 25°	FLOOD 50°
white struc	12550109	12551109
black	12550102	12551102



### Smart Lotus fronting

	MEDIUM 25°	FLOOD 50°
white struc	12550209	12551209
black	12550202	12551202

### Smart Kup fronting



	MEDIUM 25°	FLOOD 50°
white struc	12550309	12551309
black	12550302	12551302

## ACCESSORIES

10400430 10420430

12519930 gearkit 1x Smart LED 500mA  
12519830 gearkit 1x/2x Smart LED 500mA 1-10V/Pushdim  
12519730 gearkit 2x Smart LED 500mA  
12519630 gearkit 3x/4x Smart LED 500mA 1-10V/Pushdim

# Mini-multiple trimless for Smart rings



LED

## Mini-multiple trimless for Smart rings

1x LED <900lm GE

1x LED Array incl. 10.5W  
LED gear not incl.  
adjustability v -35°/+35°  
aperture l 103 w 103 h 130

! has to be combined with Smart flat frontring, Smart Cake frontring, Smart Lotus frontring or Smart Kup frontring  
! for gearkit see accessories




	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
black	12530002	12530102
complete white struc	12530009	12530109
white struc - black	12530029	12530129

### ACCESSORIES

10440130 10460130

- 12519930 gearkit 1x Smart LED 500mA
- 12519830 gearkit 1x/2x Smart LED 500mA 1-10V/Pushdim
- 12519730 gearkit 2x Smart LED 500mA
- 12519630 gearkit 3x/4x Smart LED 500mA 1-10V/Pushdim



LED

## Mini-multiple trimless for Smart rings

2Lx LED <900lm GE

2x LED Array incl. 10.5W  
LED gear not incl.  
adjustability v -35°/+35°  
aperture l 203 w 103 h 130


! has to be combined with Smart flat frontring, Smart Cake frontring, Smart Lotus frontring or Smart Kup frontring  
! for gearkit see accessories



	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
black	12531002	12531102
complete white struc	12531009	12531109
white struc - black	12531029	12531129

### ACCESSORIES

10440230 10460230



LED

## Mini-multiple trimless for Smart rings

3Lx LED <900lm GE

3x LED Array incl. 10.5W  
LED gear not incl.  
adjustability v -35°/+35°  
aperture l 308 w 103 h 130

! has to be combined with Smart flat frontring, Smart Cake frontring, Smart Lotus frontring or Smart Kup frontring  
! for gearkit see accessories



	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
black	12532002	12532102
complete white struc	12532009	12532109
white struc - black	12532029	12532129


### ACCESSORIES

10440730 10460730

# Mini-multiple trimless for Smart rings



Mini-multiple trimless for Smart rings with Smart flat frontings



LED



## Mini-multiple trimless for Smart rings 4SQx LED <900lm GE

4x LED Array incl. 10.5W  
LED gear not incl.  
adjustability v -35°/+35°  
aperture | 203 w 203 h 130

! has to be combined with Smart flat fronting, Smart Cake fronting, Smart Lotus fronting or Smart Kup fronting  
! for gearkit see accessories

	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 80+
black	12533002	12533102
complete white struc	12533009	12533109
white struc - black	12533029	12533129

### ACCESSORIES (for more info see page 39)





#### Smart flat fronting

	MEDIUM 25°	FLOOD 40°
white struc	12550009	12551009
black	12550002	12551002

#### Smart Cake fronting

	MEDIUM 25°	FLOOD 50°
white struc	12550109	12551109
black	12550102	12551102



#### Smart Lotus fronting

	MEDIUM 25°	FLOOD 50°
white struc	12550209	12551209
black	12550202	12551202

#### Smart Kup fronting

	MEDIUM 25°	FLOOD 50°
white struc	12550309	12551309
black	12550302	12551302

### ACCESSORIES

10440430
 10460430

12519930 gearkit 1x Smart LED 500mA  
 12519830 gearkit 1x/2x Smart LED 500mA 1-10V/Pushdim  
 12519730 gearkit 2x Smart LED 500mA  
 12519630 gearkit 3x/4x Smart LED 500mA 1-10V/Pushdim

## Mini-multiple for Smart rings

---



Mini-multiple for Smart rings white structure-black with Smart Cake frontrings white structure



Mini-multiple for Smart rings white structure with Smart Cake frontrings white structure

## Mini-multiple trimless for Smart rings



Mini-multiple trimless for Smart rings white structure with Smart Cake frontrings white structure





Mini-multiple trimless for Smart rings white structure with Smart Cake frontrings white structure

# Smart frontrings

HOW TO ORDER

## Step 1: Choose your Smart frontring



## Step 2: Combine it with the Nomad for Smart rings




Result



HOW TO ORDER

## Step 1: Choose your Smart frontring



## Step 2: Combine it with the Mini-multiple for Smart rings (1L/2L/3L/4L)



Result



## Profiles with Smart modules

### SL100 Made to measure modules

Smart Cake	non-dim		1-10V/pushdim		Dali		mod	asym	sym
	black struc	white struc	black struc	white struc	black struc	white struc			
	<b>LED &lt;900lm</b>								
1x 2700K/CRI90+	93171032	93171009					82	284	486
1x 2700K/CRI90+			96171032	96171009			82	259	436
1x 2700K/CRI90+					98171032	98171009	82	306	530
<b>MR16</b>									
1x50W	93172032	93172009			98172032	98172009	82	245	408
<b>ES50</b>									
1x50W	93173132	93173109					82	133	184
<b>HIPAR-C16</b>									
1x20W	93173031	93173008					82	242	402
1x35W	93173032	93173009					82	242	402

Smart Kup	non-dim		1-10V/pushdim		Dali		mod	asym	sym
	black struc	white struc	black struc	white struc	black struc	white struc			
	<b>LED &lt;900lm</b>								
1x 2700K/CRI90+	93177032	93177009					82	284	486
1x 2700K/CRI90+			96177032	96177009			82	259	436
1x 2700K/CRI90+					98177032	98177009	82	306	530
<b>MR16</b>									
1x50W	93178032	93178009			98178032	98178009	82	245	408
<b>ES50</b>									
1x50W	93178132	93178109					82	133	184
<b>HIPAR-C16</b>									
1x20W	93179031	93179008					82	242	402
1x35W	93179032	93179009					82	242	402

### Cupid Made to measure modules

Smart Cake	non-dim		1-10V/pushdim		Dali		mod	asym	sym
	black struc	white struc	black struc	white struc	black struc	white struc			
	<b>LED &lt;900lm</b>								
1x 2700K/CRI90+	93371032	93371009					82	284	486
1x 2700K/CRI90+			96371032	96371009			82	259	436
1x 2700K/CRI90+					98371032	98371009	82	306	530
<b>MR16</b>									
1x50W	93372032	93372009			98372032	98372009	82	245	408
<b>ES50</b>									
1x50W	93373132	93373109					82	133	184
<b>HIPAR-C16</b>									
1x20W	93373031	93373008					82	242	402
1x35W	93373032	93373009					82	242	402

Smart Kup	non-dim		1-10V/pushdim		Dali		mod	asym	sym
	black struc	white struc	black struc	white struc	black struc	white struc			
	<b>LED &lt;900lm</b>								
1x 2700K/CRI90+	93377032	93377009					82	284	486
1x 2700K/CRI90+			96377032	96377009			82	259	436
1x 2700K/CRI90+					98377032	98377009	82	306	530
<b>MR16</b>									
1x50W	93378032	93378009			98378032	98378009	82	245	408
<b>ES50</b>									
1x50W	93378132	93378109					82	133	184
<b>HIPAR-C16</b>									
1x20W	93379031	93379008					82	242	402
1x35W	93379032	93379009					82	242	402



# Profiles with Smart modules

## small 2FLAT2C Made to measure modules

Smart Cake	non-dim		1-10V/pushdim		Dali		mod	asym	sym
	black struc	white struc	black struc	white struc	black struc	white struc			
	<b>LED &lt;900lm</b>								
1x 2700K/CRI90+	93151032	93151009					82	284	486
1x 2700K/CRI90+			96151032	96151009			82	259	436
1x 2700K/CRI90+					98151032	98151009	82	306	530
<b>MR16</b>									
1x50W	93152032	93152009			98152032	98152009	82	245	408
<b>ES50</b>									
1x50W	93153132	93153109					82	133	184
<b>HIPAR-C16</b>									
1x20W	93153031	93153008					82	242	402
1x35W	93153032	93153009					82	242	402

Smart Kup	non-dim		1-10V/pushdim		Dali		mod	asym	sym
	black struc	white struc	black struc	white struc	black struc	white struc			
	<b>LED &lt;900lm</b>								
1x 2700K/CRI90+	93157032	93157009					82	284	486
1x 2700K/CRI90+			96157032	96157009			82	259	436
1x 2700K/CRI90+					98157032	98157009	82	306	530
<b>MR16</b>									
1x50W	93158032	93158009			98158032	98158009	82	245	408
<b>ES50</b>									
1x50W	93158132	93158109					82	133	184
<b>HIPAR-C16</b>									
1x20W	93159031	93159008					82	242	402
1x35W	93159032	93159009					82	242	402

## 2FLAT2C Made to measure modules

Smart Cake	non-dim		1-10V/pushdim		Dali		mod	asym	sym
	black struc	white struc	black struc	white struc	black struc	white struc			
	<b>LED &lt;900lm</b>								
1x 2700K/CRI90+	93161032	93161009					82	284	486
1x 2700K/CRI90+			96161032	96161009			82	259	436
1x 2700K/CRI90+					98161032	98161009	82	306	530
<b>MR16</b>									
1x50W	93162032	93162009			98162032	98162009	82	245	408
<b>ES50</b>									
1x50W	93163132	93163109					82	133	184
<b>HIPAR-C16</b>									
1x20W	93163031	93163008					82	242	402
1x35W	93163032	93163009					82	242	402

Smart Kup	non-dim		1-10V/pushdim		Dali		mod	asym	sym
	black struc	white struc	black struc	white struc	black struc	white struc			
	<b>LED &lt;900lm</b>								
1x 2700K/CRI90+	93167032	93167009					82	284	486
1x 2700K/CRI90+			96167032	96167009			82	259	436
1x 2700K/CRI90+					98167032	98167009	82	306	530
<b>MR16</b>									
1x50W	93168032	93168009			98168032	98168009	82	245	408
<b>ES50</b>									
1x50W	93168132	93168109					82	133	184
<b>HIPAR-C16</b>									
1x20W	93169031	93169008					82	242	402
1x35W	93169032	93169009					82	242	402

! for other profile components, please refer to profiles workbook

## GOODIES | Overview transfo/gear

HALOGEN	NOT DIMMABLE	LEADING EDGE DIMMABLE	TRAILING EDGE DIMMABLE	PUSHDIM	DALI	1-10V	DIMENSIONS
12380130		70W	70W				110x45x33
12380230		105W	105W				110x45x33
12380330		150W	150W				145x51x33
12380430				105W	105W		170x44x34
HIGH INTENSITY DISCHARGE	NOT DIMMABLE						
12390130	20W						190x43x30
12390230	35W						235x50x34
12390530	2x35W						245x94x35 (1)
LED 500mA	NOT DIMMABLE	LEADING EDGE DIMMABLE	TRAILING EDGE DIMMABLE	PUSHDIM	DALI	1-10V	
12400730	12W						115x34x19
12400330		24W	24W	24W*			166x47x35
12400430				50W*		50W	124.5x79x22 (1)
12400530				35W*	35W	35W	124.5x79x22 (1)
12403230					24W		103x67x21
12403630				22W		22W	103x67x21

\*optional: pushdim sync cable 4m - 12400100  
 (1) doesn't fit through Smart recessed hole ø70

---

## Contributing photography

Photo references by

Blue Jam	7
Philip Braem	8, 12, 13
Serge Technau	9
Thomas De Bruyne	6, 10, 11

Studio photography by studio BOA.



**MODULAR**  
LIGHTING INSTRUMENTS

[www.supermodular.com](http://www.supermodular.com)