


MULTIPLE TRIMLESS 1X AR111 GE

An oldie but Multiple is still a coveted luminaire, even after twenty years. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this luminaire to fit well into both a minimalist and an industrial-chic environment. The gimbaled system allows you to direct the light source at any angle of your choice. The 'AR111' recessed variants can also be combined with the new M-LED 111.

Art. Nr. 10360102

SPECIFICATIONS

Lamp	1x QR-LP 111 G53 max. 50W
Gear / Transfo	transfo not incl.
Cut-out size	I 160 w 160 h 110
Weight	0.75kg
Min. Distance	0.5 m
Power supply	12V
IP	IP20
Glow Wire Test	960°
CRI	100
Lumen	540 Lm
Efficacy	11 Lm/W
UGR	10
Remark	! compatible with LED module AR111



This label is available in other languages: http://supermodular.com/assets/TYPE3.pdf

black	10360102
complete white struc	10360109
white struc-black	10360129















MULTIPLE TRIMLESS 1X CDM-T GE

Twenty years after its initial launch, Multiple is still a coveted fitting. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this fitting to fit well into both a minimalist and an industrial-chic environment. The gimballed system allows you to direct the light source at any angle of your choice. Available in a recessed version (Multiple trimless) or for surface mounting in a sleek aluminium housing (Multiple surface). Mini-multiple is a smaller recessed version, which is available trimless or with a trim.

Art. Nr. 10361902

SPECIFICATIONS

Lamp	1x HIT-CE G12 max. 70W
Gear / Transfo	gear not incl.
Cut-out size	I 160 w 160 h 210
Weight	1.5kg
Min. Distance	0.5 m
Power supply	4-5kV
IP	IP20
Glow Wire Test	960°
CRI	87
Lumen	5016 Lm
Efficacy	72 Lm/W
UGR	20
Remark	! spot / flood reflector optional



	MEDIUM
black	10361902
complete white struc	10361909
















MULTIPLE TRIMLESS 2X AR111 GE

An oldie but Multiple is still a coveted luminaire, even after twenty years. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this luminaire to fit well into both a minimalist and an industrial-chic environment. The gimbaled system allows you to direct the light source at any angle of your choice. The 'AR111' recessed variants can also be combined with the new M-LED 111.

Art. Nr. 10360202

SPECIFICATIONS

Lamp	2x QR-LP 111 G53 max. 50W
Gear / Transfo	transfo not incl.
Cut-out size	I 315 w 160 h 110
Weight	1.7kg
Min. Distance	0.7 m
Power supply	12V
IP	IP20
Glow Wire Test	960°
CRI	100
Lumen	1080 Lm
Efficacy	11 Lm/W
UGR	10
Remark	! compatible with LED module AR111



This label is available in other languages: http://supermodular.com/assets/TYPE3.pdf

black	10360202
complete white struc	10360209
white struc-black	10360229















MULTIPLE TRIMLESS 2X CDM-T GE

Twenty years after its initial launch, Multiple is still a coveted fitting. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this fitting to fit well into both a minimalist and an industrial-chic environment. The gimballed system allows you to direct the light source at any angle of your choice. Available in a recessed version (Multiple trimless) or for surface mounting in a sleek aluminium housing (Multiple surface). Mini-multiple is a smaller recessed version, which is available trimless or with a trim.

Art. Nr. 10362002

SPECIFICATIONS

Lamp	2x HIT-CE G12 max. 70W
Gear / Transfo	gear not incl.
Cut-out size	I 315 w 160 h 210
Weight	3kg
Min. Distance	1.0 m
Power supply	4-5kV
IP	IP20
Glow Wire Test	960°
CRI	87
Lumen	10032 Lm
Efficacy	72 Lm/W
UGR	20
Remark	! spot / flood reflector optional



	MEDIUM
black	10362002
complete white struc	10362009



















MULTIPLE TRIMLESS 3X AR111 GE

An oldie but Multiple is still a coveted luminaire, even after twenty years. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this luminaire to fit well into both a minimalist and an industrial-chic environment. The gimbaled system allows you to direct the light source at any angle of your choice. The 'AR111' recessed variants can also be combined with the new M-LED 111.

Art. Nr. 10360302

SPECIFICATIONS

Lamp	3x QR-LP 111 G53 max. 50W
Gear / Transfo	transfo not incl.
Cut-out size	I 458 w 160 h 110
Weight	2.65kg
Min. Distance	0.7 m
Power supply	12V
IP	IP20
Glow Wire Test	960°
CRI	100
Lumen	1620 Lm
Efficacy	11 Lm/W
UGR	10
Remark	! compatible with LED module AR111



This label is available in other languages: http://supermodular.com/assets/TYPE3.pdf

black	10360302
complete white struc	10360309
white struc-black	10360329















MULTIPLE TRIMLESS 3X CDM-T GE

Twenty years after its initial launch, Multiple is still a coveted fitting. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this fitting to fit well into both a minimalist and an industrial-chic environment. The gimballed system allows you to direct the light source at any angle of your choice. Available in a recessed version (Multiple trimless) or for surface mounting in a sleek aluminium housing (Multiple surface). Mini-multiple is a smaller recessed version, which is available trimless or with a trim.

Art. Nr. 10362102

SPECIFICATIONS

Lamp	3x HIT-CE G12 max. 70W
Gear / Transfo	gear not incl.
Cut-out size	I 458 w 160 h 210
Weight	3.9kg
Min. Distance	1.0 m
Power supply	4-5kV
IP	IP20
Glow Wire Test	960°
CRI	87
Lumen	15048 Lm
Efficacy	72 Lm/W
UGR	20
Remark	! spot / flood reflector optional



	MEDIUM
black	10362102
complete white struc	10362109

















MULTIPLE TRIMLESS 4X AR111 GE

An oldie but Multiple is still a coveted luminaire, even after twenty years. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this luminaire to fit well into both a minimalist and an industrial-chic environment. The gimbaled system allows you to direct the light source at any angle of your choice. The 'AR111' recessed variants can also be combined with the new M-LED 111.

Art. Nr. 10360402

SPECIFICATIONS

Lamp	4x QR-LP 111 G53 max. 50W
Gear / Transfo	transfo not incl.
Cut-out size	I 315 w 315 h 110
Weight	3.05kg
Min. Distance	1.0 m
Power supply	12V
IP	IP20
Glow Wire Test	960°
CRI	100
Lumen	2160 Lm
Efficacy	11 Lm/W
UGR	10
Remark	! compatible with LED module AR111



This label is available in other languages: http://supermodular.com/assets/TYPE3.pdf

black	10360402
complete white struc	10360409
white struc-black	10360429





